A.

2021

FUNDAMENTALS OF ELECTRICAL AND ELECTRONICS ENGINEERING

Full Marks: 60

Time: 2 hours

The figures in the margin indicate full marks for the questions.

Mul	tiple Choice Questions	1 x 20=20
1.	Which of the following is a semiconductor?	
	a. Copper	
	b. Platinum	
	c. Germanium	
	d. Iron	
2.	The number of valance electrons in silicon are	
	a. 1	
	b. 2	
	c. 3	
	d. 4	
3.	Which of the following is a pentavalent impurity?	
	a. Aluminum	
	b. Arsenic	
	c. Boron	
	d. Cadmium	
4.	Bipolar Junction Transistor has how many terminals?	
	a. 1	
	b. 2	
	c. 3	
	d. 4	

5.	Wł	Which layer of BJT is heavily doped?		
	a.	Emitter		
	b.	Base		
	c.	Collector		
	d.	Both a and c.		
6.		In the output characteristics of a Bipolar Junction Transistor, the output current I_c is zero in		
	a.	active region		
	b.	saturation region		
	c.	cutoff region		
	d.	both b and c.		
7.	The purpose of using a capacitor in a voltage regulator circuit is to			
	a.	rectify the ac voltage.		
	b.	filter the ripples.		
	c.	regulate the output voltage.		
	d.	step down the input voltage.		
8.	The SI units of potential difference, electric current, electric power and energy are			
	a.	Volt, ampere, joule and watt respectively		
	b.	Volt, ampere, watt-hr and joule/sec respectively		
	c.	Volt, ampere, joule/sec and joule respectively		
	d.	None of the above		
9.	Αj	unction where two or more than two network elements meet is known as a		
	a.	node		
	b.	branch		
	c.	loop		
	d.	mesh		
10.	The period of a wave is			
	a.	the same as frequency		
	b.	time required to complete one cycle		
	c.	expressed in ampere		

11.	The peak value of a sine wave is 200V. It's average value is			
	a. 127.4 V			
	b. 141.4 V			
	c. 282.8 V			
	d. 200 V			
12.	In the complex number (4+j7), 4 is called the component.			
	a. real			
	b. imaginary			
	c. in-phase			
	d. quadrature			
13.	For a frequency of 200Hz, the time-period will be			
	a. 0.055 s			
	b. 0.005 s			
	c. 0.0005 s			
	d. 0.5 s			
14.	\mathbf{V}_{th} is found across th	terminals of the network		
	a. Input			
	b. Output			
	c. Neither input nor	output		
	d. either input nor o	atput		
15.	Least current will flow through			
	a. 18 ohm resistor			
	b. 5 ohm resistor			
	c. 10 ohm resistor			
	d. 25 ohm resistor			
16.	The algebraic sum of voltages around any closed path in a network is equal to			
	a. Infinity			
	b. 1			
	c. 0			

d. none of the above

d. Negative polarity 17. All are loops but all are not meshes a. loops, meshes meshes, loops branches, loops nodes, branches 18. An ideal voltage source has Infinite internal resistance 2 ohm internal resistance c. Zero internal resistance Very small internal resistance Kirchhoff's voltage law is applied At a junction only Across a branch only In Thevenin's loop In a closed electric path SI unit of resistance is 20 a. Ω -m b. Ω -cm

B. Very Short Question

c. Ω^{-1}

d. Ω

2*6=12


- 1. What do you mean by extrinsic and intrinsic semiconductor?
- 2. What will happen to PN junction diode when it is forward bias?
- 3. Two resistors 3Ω and 6Ω are connected in parallel and this combination is connected with 22V DC supply. Estimate the total power loss in this circuit.
- 4. An ideal voltage source of 18V is in series with a 10Ω resistor. Obtain it's current source equivalent.
- 5. An AC voltage wave is represented by 'v = 120 Sin (314.t)'. Find the maximum value and frequency.
- 6. A sinusoidal AC current wave makes 120 cycles per minute. What is its

frequency?


C Short Question 4*7=28

1. How a Bipolar Junction Transistor is operated in CB or CE configuration? Explain with a diagram. Also, draw the output characteristics for the particular configuration.

- 2. Describe the working of a half wave rectifier using suitable diagrams? What do you mean by ripple factor of a rectifier?
- 3. What is the function of filter circuit in a voltage regulator? Explain with a diagram.
- 4. Calculate V_{th} for the given circuit. $R_L = 4\Omega$ is given as the load resistance.



5. In the circuit shown below, calculate circuit current 'i' and branch current ' I_1 '.



- 6. Given, A= (4-j2) and B= (1-j5). Perform the operation A.B and represent the result in polar form.
- 7. Define the following terms associated with sinusoidal AC quantities Amplitude, frequency, time period and average value
