

CENTRAL INSTITUTE OF TECHNOLOGY KOKRAJHAR  
(Deemed to be University)  
KOKRAJHAR :: BTR :: ASSAM :: 783370

**END – SEMESTER EXAMINATION**  
**UG**

Session: July-December, 2022      Semester: V      Time: 3Hrs.      Full Marks: 100  
Course Code: UCSE514      Course Title: **Web and Internet Technology**

---

*Answer 1 both [A] and [B] is compulsory. Attempt any 3 from the rest!*

**1 [A]. Short answer type or code snippet only** 2 x 10 = 20

- i. Write an HTML code snippet to add meta description.
- ii. How do you include meta keywords having CIT, Kokrajhar, Admission as keywords in an HTML File?
- iii. Using CSS define the font color as red and background color as blue for a particular HTML class "content".
- iv. How do you make a CSS rule to work for a particular type of devices?
- v. How do you make a particular webpage a responsive webpage?
- vi. How do you add a favicon Icon in an HTML?
- vii. In HTML insert an image with a link to google.com
- viii. What is the requirement to run a PHP file?
- ix. Declare an array with five string elements in PHP.
- x. Declare a constant object with the following information name: Janie Doe, age: 20, gender: Female in JavaScript.

**[B]. Fill in the blanks or one liner answer questions** 2 x 10 = 20

- i. `<form ____="process.php" ____="POST">`
- ii. `<script ____="scripts.js" type="____"></script>`
- iii. For the following JavaScript object code Snippet how will you print full name of the person.


```
const person = {
  firstName: "Johnny",
  lastName: "Dee",
  id: 12345,
  fullName: function() {
    return this.firstName + " " + this.lastName;
  }
};
```

- iv. You need to accept form parameters "name" and "password" passed using GET? Which global variable in PHP you will use to accept form data and how?
- v. \_\_\_\_ and \_\_\_\_ are popular frameworks of PHP.

- vi. \_\_\_ and \_\_\_ are popular framework library of JavaScript.
- vii. \_\_\_ and \_\_\_ are popular web servers.
- viii. PHP is \_\_\_ language whereas JavaScript is \_\_\_\_\_ language.
- ix. `<img ___="mypicture.jpg" ___="This is an image it will be displayed when images are not loaded" >`
- x. To run PHP you must have \_\_\_ and to run JavaScript you must have a \_\_\_.

### Descriptive/Code Snippet/Full Code

- 2
  - a. What are Block Level and Inline Level HTML Tags? 4 + 10 + 6 = 20
  - b. Write Five Example each along with example uses of block level and inline level tags. Mention only specific tag uses, no need to write whole HTML page.
  - c. Write different ways to include CSS and JavaScript in an HTML Page?
  
- 3
  - a. Write five features of JavaScript? 5 + 5 + 10 = 20
  - b. What are the differences among declaration of variable using var, let and const?
  - a. Using CSS create the following rounded rectangle having border with 2 px solid line with border corner 25 px and contents 25px from border as shown below. Color of the border is green.



- 4
  - a. What is a PHP and MySQL? 4 + 8 + 8 = 20
  - b. How do you connect a MySQL database using PHP? Write code snippet to connect to a database hosted on localhost machine.
  - a. Write a PHP Program using function that can swap values of three variable using Call by Value.
  
- 5
  - b. Mention any five different Database system available for a web developer to use. Mention with a benefit for each one of them. 5 + 10 + 5 = 10
  - c. Write a SQL command to create a database with name 'student' and a database table having name 'admitted\_student' that the following information
    - i. Id data type is integer with auto increment
    - ii. Name with data type string of 100 char

- iii. Roll Number integer
- iv. Branch with data type string of 50 character
- v. Current Semester having data type string with 10 chars
- a. Which one of the PHP Database SQL connector should not be use as a database connector and why?

- 6 a. Implement a Stack or Queue Data Structure using JavaScript/PHP? 10 + 10 = 20
- b. You are given a simple HTML Code as below

```
<!DOCTYPE html>
<html>
<body>

<h2>Simple HTML Page</h2>
<p id="content"></p>

</body>
</html>
```

You have been given with the following data

```
'{"name": "John Doe", "age": 23, "cars": ["Ford", "BMW", "Fiat"]}'
```

Write a JavaScript program that change the content of the paragraph with id='content' to have the Name, Age and a Car BMW.

xxXxx